

H-A

0360

WPN/SAS:gte 5/15/01 6122-54472 49003.doc

PATENT

Attorney Reference Number 6122-54472



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re application of: Fleming

Art Unit: 3761

Application No. 09/788,264

Filed: February 16, 2001

For: ADMINISTRATION OF THERAPEUTIC OR  
DIAGNOSTIC AGENTS USING  
INTERLABIAL PAD

Examiner: Not yet assigned

Date: May 15, 2001

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service on May 15, 2001, as First Class Mail in an envelope addressed to: BOX MISSING PARTS, COMMISSIONER FOR PATENTS, WASHINGTON D.C. 20231.

*William D. Noonan*

William D. Noonan, M.D.  
Attorney for Applicant

TRANSMITTAL LETTER

BOX MISSING PARTS  
COMMISSIONER FOR PATENTS  
Washington, DC 20231

Enclosed for filing in the application referenced above are the following:

- ☒ Copy of Notice to File Corrected Application Papers – Filing Date Granted
- ☒ Response to Notice to File Corrected Application Papers
- ☒ 7 sheets of formal drawings
- ☒ The Director is hereby authorized to charge any additional fees which may be required, or credit over-payment, to Account No. 02-4550. A copy of this sheet is enclosed.
- ☒ Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

KLARQUIST SPARKMAN CAMPBELL  
LEIGH & WHINSTON, LLP

By *William D. Noonan*  
William D. Noonan, M.D.  
Registration No. 30,878

One World Trade Center, Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 226-7391  
Facsimile: (503) 228-9446

cc: Docketing



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Fleming

Art Unit: 3761

Application No. 09/788,264

Filed: February 16, 2001

For: ADMINISTRATION OF THERAPEUTIC  
OR DIAGNOSTIC AGENTS USING  
INTERLABIAL PAD

Examiner: Not yet assigned

Date: May 15, 2001

COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service on May 15, 2001, as First Class Mail in an envelope addressed to: BOX MISSING PARTS, COMMISSIONER FOR PATENTS, WASHINGTON D.C. 20231.

William D. Noonan, M.D.  
Attorney for Applicant

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

In response to the Notice to File Corrected Application Papers dated April 9, 2001 for the above-identified application, enclosed is a full set of formal drawings. The Notice stated that substitute drawings were required because the drawings submitted on February 16, 2001 did not meet the margin requirements of 37 C.F.R. § 1.84 (g). Applicant submits that the enclosed set of formal drawings do meet the appropriate margin requirements.

Respectfully submitted,

KLARQUIST SPARKMAN CAMPBELL  
LEIGH & WHINSTON, LLP

By   
William D. Noonan, M.D.  
Registration No. 30,878

One World Trade Center, Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 226-7391  
Facsimile: (503) 228-9446



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/788,264	02/16/2001	William H. Fleming	6122-54472

CONFIRMATION NO. 8684

24197  
KLARQUIST SPARKMAN CAMPBELL LEIGH &  
WHINSTON, LLP  
121 SW SALMON STREET  
SUITE 1600  
PORTLAND, OR 97204-9446

## FORMALITIES LETTER



\*OC000000005949018\*

Date Mailed: 04/09/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*Frewson*  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE